

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,818 B2
APPLICATION NO. : 09/988984
DATED : November 9, 2004
INVENTOR(S) : John T. Moore et al.

Page 1 of 17

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 11, line 10, "for" should read ~~form~~.

Item (56) (References Cited) should include the following cited art:

Axon Technologies Corporation, TECHNOLOGY DESCRIPTION: *Programmable Metalization Cell(PMC)*, pp. 1-6 (Pre-May 2000).

Helbert et al., *Intralevel hybrid resist process with submicron capability*, SPIE Vol. 333 SUBMICRON LITHOGRAPHY, pp. 24-29 (1982).

Hilt, DISSERTATION: *Materials characterization of Silver Chalcogenide Programmable Metalization Cells*, Arizona State University, pp. Title Page-114 (UMI Company, May 1999).

Hirose et al., *High Speed Memory Behavior and Reliability of an Amorphous As₂S₃ Film Doped Ag*, PHYS. STAT. SOL. (a) 61, pp. 87-90 (1980).

Holmquist et al., *Reaction and Diffusion in Silver-Arsenic Chalcogenide Glass Systems*, 62 J. AMER. CERAM. SOC., No. 3-4, pp. 183-188 (March-April 1979).

Huggett et al., *Development of silver sensitized germanium selenide photoresist by reactive sputter etching in SF₆*, 42 APPL. PHYS. LETT., No. 7, pp. 592-594 (April 1983).

Kawaguchi et al., *Mechanism of photosurface deposition*, 164-166 J. NON-CRYST. SOLIDS, pp. 1231-1234 (1993).

Kolobov and Elliott, *Photodoping of Amorphous Chalcogenides by Metals*, Advances in Physics, Vol. 40, No 5, 625-684 (1991).

Kozicki, et al., "Applications of Programmable Resistance Changes in Metal-doped Chalcogenides", Proceedings of the 1999 Symposium on Solid State Ionic Devices, Editors - E.D. Wachsman et al., The Electrochemical Society, Inc., 1 - 12 (1999).

Kozicki, et al., *Nanoscale effects in devices based on chalcogenide solid solutions, Superlattices and Microstructures*, 27, 485-488 (2000).

Kozicki, et al., *Nanoscale phase separation in Ag-Ge-Se glasses*, Microelectronic Engineering, vol. 63/1-3, 155-159 (2002).

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,818 B2
APPLICATION NO. : 09/988984
DATED : November 9, 2004
INVENTOR(S) : John T. Moore et al.

Page 2 of 17

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Item (56) (References Cited) – continued

M.N. Kozicki and M. Mitkova, *Silver incorporation in thin films of selenium rich Ge-Se glasses*, Proceedings of the XIX International Congress on Glass, Society for Glass Technology, 226-227 (2001).

McHardy et al., *The dissolution of metals in amorphous chalcogenides and the effects of electron and ultraviolet radiation*, 20 J. PHYS. C.: SOLID STATE PHYS., pp. 4055-4075 (1987).

Owen et al., *Metal-Chalcogenide Photoresists for High Resolution Lithography and Sub-Micron Structures*, NANOSTRUCTURE PHYSICS AND FABRICATION, pp. 447-451 (M. Reed ed. 1989).

Shimizu et al., *The Photo-Erasable Memory Switching Effect of Ag Photo-Doped Chalcogenide Glasses*, 46 B. CHEM SOC. JAPAN, No. 12, pp. 3662-3365 (1973).

Abdel-All, A.; Elshafie, A.; Elhawary, M.M., DC electric-field effect in bulk and thin-film Ge₅As₃₈Te₅₇ chalcogenide glass, Vacuum 59 (2000) 845-853.

Adler, D.; Moss, S.C., Amorphous memories and bistable switches, J. Vac. Sci. Technol. 9 (1972) 1182-1189.

Adler, D.; Henisch, H.K.; Mott, S.N., The mechanism of threshold switching in amorphous alloys, Rev. Mod. Phys. 50 (1978) 209-220.

Afifi, M.A.; Labib, H.H.; El-Fazary, M.H.; Fadel, M., Electrical and thermal properties of chalcogenide glass system Se₇₅Ge_{25-x}Sb_x, Appl. Phys. A 55 (1992) 167-169.

Afifi, M.A.; Labib, H.H.; Fouad, S.S.; El-Shazly, A.A., Electrical & thermal conductivity of the amorphous semiconductor GexSe_{1-x}, Egypt, J. Phys. 17, (1986) 335-342.

Alekperova, Sh.M.; Gadzhieva, G.S., Current-Voltage characteristics of Ag₂Se single crystal near the phase transition, Inorganic Materials 23 (1987) 137-139.

Aleksiejunas, A.; Cesnys, A., Switching phenomenon and memory effect in thin-film heterojunction of polycrystalline selenium-silver selenide, Phys. Stat. Sol. (a) 19 (1973) K169-K171.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,818 B2
APPLICATION NO. : 09/988984
DATED : November 9, 2004
INVENTOR(S) : John T. Moore et al.

Page 3 of 17

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Item (56) (References Cited) -- continued

Angell, C.A., Mobile ions in amorphous solids, Annu. Rev. Phys. Chem. 43 (1992) 693-717.

Aniya, M., Average electronegativity, medium-range-order, and ionic conductivity in superionic glasses, Solid state Ionics 136-137 (2000) 1085-1089.

Asahara, Y.; Izumitani, T., Voltage controlled switching in Cu-As-Se compositions, J. Non-Cryst. Solids 11 (1972) 97-104.

Asokan, S.; Prasad, M.V.N.; Parthasarathy, G.; Gopal, E.S.R., Mechanical and chemical thresholds in IV-VI chalcogenide glasses, Phys. Rev. Lett. 62 (1989) 808-810

Baranovskii, S.D.; Cordes, H., On the conduction mechanism in ionic glasses, J. Chem. Phys. 111 (1999) 7546-7557.

Belin, R.; Taillades, G.; Pradel, A.; Ribes, M., Ion dynamics in superionic chalcogenide glasses: complete conductivity spectra, Solid state Ionics 136-137 (2000) 1025-1029.

Belin, R.; Zerouale, A.; Pradel, A.; Ribes, M., Ion dynamics in the argyrodite compound Ag₇GeSe₅I: non-Arrhenius behavior and complete conductivity spectra, Solid State Ionics 143 (2001) 445-455.

Benmore, C.J.; Salmon, P.S., Structure of fast ion conducting and semiconducting glass chalcogenide alloys, Phys. Rev. Lett. 73 (1994) 264-267.

Bernede, J.C., Influence du metal des electrodes sur les caracteristiques courant-tension des structures M-Ag₂Se-M, Thin solid films 70 (1980) L1-L4.

Bernede, J.C., Polarized memory switching in MIS thin films, Thin Solid Films 81 (1981) 155-160.

Bernede, J.C., Switching and silver movements in Ag₂Se thin films, Phys. Stat. Sol. (a) 57 (1980) K101-K104.

Bernede, J.C.; Abachi, T., Differential negative resistance in metal/insulator/metal structures with an upper bilayer electrode, Thin solid films 131 (1985) L61-L64.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,818 B2
APPLICATION NO. : 09/988984
DATED : November 9, 2004
INVENTOR(S) : John T. Moore et al.

Page 4 of 17

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Item (56) (References Cited) -- continued

Bernede, J.C.; Conan, A.; Fousenan't, E.; El Bouchairi, B.; Goureaux, G., Polarized memory switching effects in Ag₂Se/Se/M thin film sandwiches, Thin solid films 97 (1982) 165-171.

Bernede, J.C.; Khelil, A.; Kettaf, M.; Conan, A., Transition from S- to N-type differential negative resistance in Al-Al₂O₃-Ag₂-xSe_{1+x} thin film structures, Phys. Stat. Sol. (a) 74 (1982) 217-224.

Bondarev, V.N.; Pikhitsa, P.V., A dendrite model of current instability in RbAg₄I₅, Solid State Ionics 70/71 (1994) 72-76.

Boolchand, P., The maximum in glass transition temperature (T_g) near x=1/3 in GexSe_{1-x} Glasses, Asian Journal of Physics (2000) 9, 709-72.

Boolchand, P.; Bresser, W.J., Mobile silver ions and glass formation in solid electrolytes, Nature 410 (2001) 1070-1073.

Boolchand, P.; Georgiev, D.G.; Goodman, B., Discovery of the Intermediate Phase in Chalcogenide Glasses, J. Optoelectronics and Advanced Materials, 3 (2001), 703

Boolchand, P.; Selvanathan, D.; Wang, Y.; Georgiev, D.G.; Bresser, W.J., Onset of rigidity in steps in chalcogenide glasses, Properties and Applications of Amorphous Materials, M.F. Thorpe and Tichy, L. (eds.) Kluwer Academic Publishers, the Netherlands, 2001, pp. 97-132.

Boolchand, P.; Enzweiler, R.N.; Tenhover, M., Structural ordering of evaporated amorphous chalcogenide alloy films: role of thermal annealing, Diffusion and Defect Data Vol. 53-54 (1987) 415-420.

Boolchand, P.; Grothaus, J.; Bresser, W.J.; Suranyi, P., Structural origin of broken chemical order in a GeSe₂ glass, Phys. Rev. B 25 (1982) 2975-2978.

Boolchand, P.; Grothaus, J.; Phillips, J.C., Broken chemical order and phase separation in GexSe_{1-x} glasses, Solid state comm. 45 (1983) 183-185.

Boolchand, P., Bresser, W.J., Compositional trends in glass transition temperature (T_g), network connectivity and nanoscale chemical phase separation in chalcogenides, Dept. of ECECS, Univ. Cincinnati (October 28, 1999) 45221-0030.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,818 B2
APPLICATION NO. : 09/988984
DATED : November 9, 2004
INVENTOR(S) : John T. Moore et al.

Page 5 of 17

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Item (56) (References Cited) – continued

Boolchand, P.; Grothaus, J, Molecular Structure of Melt-Quenched GeSe₂ and GeS₂ glasses compared, Proc. Int. Conf. Phys. Semicond. (Eds. Chadi and Harrison) 17th (1985) 833-36.

Bresser, W.; Boolchand, P.; Suranyi, P., Rigidity percolation and molecular clustering in network glasses, Phys. Rev. Lett. 56 (1986) 2493-2496.

Bresser, W.J.; Boolchand, P.; Suranyi, P.; de Neufville, J.P, Intrinsically broken chalcogen chemical order in stoichiometric glasses, Journal de Physique 42 (1981) C4-193-C4-196.

Bresser, W.J.; Boolchand, P.; Suranyi, P.; Hernandez, J.G., Molecular phase separation and cluster size in GeSe₂ glass, Hyperfine Interactions 27 (1986) 389-392.

Cahen, D.; Gilet, J.-M.; Schmitz, C.; Chernyak, L.; Gartsman, K.; Jakubowicz, A., Room-Temperature, electric field induced creation of stable devices in CuInSe₂ Crystals, Science 258 (1992) 271-274.

Chatterjee, R.; Asokan, S.; Titus, S.S.K., Current-controlled negative-resistance behavior and memory switching in bulk As-Te-Se glasses, J. Phys. D: Appl. Phys. 27 (1994) 2624-2627.

Chen, C.H.; Tai, K.L. , Whisker growth induced by Ag photodoping in glassy GexSe1-x films, Appl. Phys. Lett. 37 (1980) 1075-1077.

Chen, G.; Cheng, J., Role of nitrogen in the crystallization of silicon nitride-doped chalcogenide glasses, J. Am. Ceram. Soc. 82 (1999) 2934-2936.

Chen, G.; Cheng, J; Chen, W., Effect of Si₃N₄ on chemical durability of chalcogenide glass, J. Non-Cryst. Solids 220 (1997) 249-253.

Cohen, M.H.; Neale, R.G.; Paskin, A., A model for amorphous semiconductor memory device, J. Non-Cryst. Solids 8-10 (1972) 885-891.

Croitoru, N.; Lazarescu, M.; Popescu, C.; Telnic, M.; and Vescan, L., Ohmic and non-ohmic conduction in some amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 781-786.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,818 B2
APPLICATION NO. : 09/988984
DATED : November 9, 2004
INVENTOR(S) : John T. Moore et al.

Page 6 of 17

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Item (56) (References Cited) -- continued

Dalven, R.; Gill, R., Electrical properties of beta-Ag₂Te and beta-Ag₂Se from 4.2 to 300K, J. Appl. Phys. 38 (1967) 753-756.

Davis, E.A., Semiconductors without form, Search 1 (1970) 152-155.

Dearnaley, G.; Stoneham, A.M.; Morgan, D.V., Electrical phenomena in amorphous oxide films, Rep. Prog. Phys. 33 (1970) 1129-1191.

Dejus, R.J.; Susman, S.; Volin, K.J.; Montague, D.G.; Price, D.L., Structure of Vitreous Ag-Ge-Se, J. Non-Cryst. Solids 143 (1992) 162-180.

den Boer, W., Threshold switching in hydrogenated amorphous silicon, Appl. Phys. Lett. 40 (1982) 812-813.

Drusedau, T.P.; Panckow, A.N.; Klabunde, F., The hydrogenated amorphous silicon/nanodisperse metal (SIMAL) system-Films of unique electronic properties, J. Non-Cryst. Solids 198-200 (1996) 829-832.

El Bouchairi, B.; Bernede, J.C.; Burgaud, P., Properties of Ag_{2-x}Se_{1+x/n}-Si diodes, Thin Solid Films 110 (1983) 107-113.

El Gharras, Z.; Bourahla, A.; Vautier, C., Role of photoinduced defects in amorphous GexSe_{1-x} photoconductivity, J. Non-Cryst. Solids 155 (1993) 171-179.

El Ghrandi, R.; Calas, J.; Galibert, G.; Averous, M., Silver photodissolution in amorphous chalcogenide thin films, Thin Solid Films 218 (1992) 259-273.

El Ghrandi, R.; Calas, J.; Galibert, G.; Ag dissolution kinetics in amorphous GeSe_{5.5} thin films from "in-situ" resistance measurements vs time, Phys. Stat. Sol. (a) 123 (1991) 451-460.

El-kady, Y.L., The threshold switching in semiconducting glass Ge₂₁Se₁₇Te₆₂, Indian J. Phys. 70A (1996) 507-516.

Elliott, S.R., A unified mechanism for metal photodissolution in amorphous chalcogenide materials, J. Non-Cryst. Solids 130 (1991) 85-97.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,818 B2
APPLICATION NO. : 09/988984
DATED : November 9, 2004
INVENTOR(S) : John T. Moore et al.

Page 7 of 17

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Item (56) (References Cited) -- continued

Elliott, S.R., Photodissolution of metals in chalcogenide glasses: A unified mechanism, J. Non-Cryst. Solids 137-138 (1991) 1031-1034.

Elsamanoudy, M.M.; Hegab, N.A.; Fadel, M., Conduction mechanism in the pre-switching state of thin films containing Te As Ge Si, Vacuum 46 (1995) 701-707.

El-Zahed, H.; El-Korashy, A., Influence of composition on the electrical and optical properties of Ge₂₀BixSe_{80-x} films, Thin Solid Films 376 (2000) 236-240.

Fadel, M., Switching phenomenon in evaporated Se-Ge-As thin films of amorphous chalcogenide glass, Vacuum 44 (1993) 851-855.

Fadel, M.; El-Shair, H.T., Electrical, thermal and optical properties of Se₇₅Ge₇Sb₁₈, Vacuum 43 (1992) 253-257.

Feng, X. ;Bresser, W.J.; Boolchand, P., Direct evidence for stiffness threshold in Chalcogenide glasses, Phys. Rev. Lett. 78 (1997) 4422-4425.

Feng, X.; Bresser, W.J.; Zhang, M.; Goodman, B.; Boolchand, P., Role of network connectivity on the elastic, plastic and thermal behavior of covalent glasses, J. Non-Cryst. Solids 222 (1997) 137-143.

Fischer-Colbrie, A.; Bienenstock, A.; Fuoss, P.H.; Marcus, M.A., Structure and bonding in photodiffused amorphous Ag-GeSe₂ thin films, Phys. Rev. B 38 (1988) 12388-12403.

Fleury, G.; Hamou, A.; Viger, C.; Vautier, C., Conductivity and crystallization of amorphous selenium, Phys. Stat. Sol. (a) 64 (1981) 311-316.

Fritzsche, H, Optical and electrical energy gaps in amorphous semiconductors, J. Non-Cryst. Solids 6 (1971) 49-71.

Fritzsche, H., Electronic phenomena in amorphous semiconductors, Annual Review of Materials Science 2 (1972) 697-744.

Gates, B.; Wu, Y.; Yin, Y.; Yang, P.; Xia, Y., Single-crystalline nanowires of Ag₂Se can be synthesized by templating against nanowires of trigonal Se, J. Am. Chem. Soc. (2001) currently ASAP.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,818 B2
APPLICATION NO. : 09/988984
DATED : November 9, 2004
INVENTOR(S) : John T. Moore et al.

Page 8 of 17

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Item (56) (References Cited) – continued

Gosain, D.P.; Nakamura, M.; Shimizu, T.; Suzuki, M.; Okano, S., Nonvolatile memory based on reversible phase transition phenomena in telluride glasses, Jap. J. Appl. Phys. 28 (1989) 1013-1018.

Guin, J.-P.; Rouxel, T.; Keryvin, V.; Sangleboeuf, J.-C.; Serre, I.; Lucas, J., Indentation creep of Ge-Se chalcogenide glasses below T_g: elastic recovery and non-Newtonian flow, J. Non-Cryst. Solids 298 (2002) 260-269.

Guin, J.-P.; Rouxel, T.; Sangleboeuf, J.-C.; Melscoet, I.; Lucas, J., Hardness, toughness, and scratchability of germanium-selenium chalcogenide glasses, J. Am. Ceram. Soc. 85 (2002) 1545-52.

Gupta, Y.P., On electrical switching and memory effects in amorphous chalcogenides, J. Non-Cryst. Sol. 3 (1970) 148-154.

Haberland, D.R.; Stiegler, H., New experiments on the charge-controlled switching effect in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 408-414.

Haifz, M.M.; Ibrahim, M.M.; Dongol, M.; Hammad, F.H., Effect of composition on the structure and electrical properties of As-Se-Cu glasses, J. Apply. Phys. 54 (1983) 1950-1954.

Hajto, J.; Rose, M.J.; Osborne, I.S.; Snell, A.J.; Le Comber, P.G.; Owen, A.E., Quantization effects in metal/a-Si:H/metal devices, Int. J. Electronics 73 (1992) 911-913.

Hajto, J.; Hu, J.; Snell, A.J.; Turvey, K.; Rose, M., DC and AC measurements on metal/a-Si:H/metal room temperature quantised resistance devices, J. Non-Cryst. Solids 266-269 (2000) 1058-1061.

Hajto, J.; McAuley, B.; Snell, A.J.; Owen, A.E., Theory of room temperature quantized resistance effects in metal-a-Si:H-metal thin film structures, J. Non-Cryst. Solids 198-200 (1996) 825-828.

Hajto, J.; Owen, A.E.; Snell, A.J.; Le Comber, P.G.; Rose, M.J., Analogue memory and ballistic electron effects in metal-amorphous silicon structures, Phil. Mag. B 63 (1991) 349-369.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,818 B2
APPLICATION NO. : 09/988984
DATED : November 9, 2004
INVENTOR(S) : John T. Moore et al.

Page 9 of 17

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Item (56) (References Cited) -- continued

Hayashi, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, Japan. J. Appl. Phys. 13 (1974) 1163-1164.

Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462.

Hirose, Y.; Hirose, H., Polarity-dependent memory switching and behavior of Ag dendrite in Ag-photodoped amorphous As₂S₃ films, J. Appl. Phys. 47 (1976) 2767-2772.

Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V₂ amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200.

Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214.

Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191.

Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50.

Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-induced instability in Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43.

Iizima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155.

Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge₂S₃, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066.

Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142.

Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,818 B2
APPLICATION NO. : 09/988984
DATED : November 9, 2004
INVENTOR(S) : John T. Moore et al.

Page 10 of 17

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Item (56) (References Cited) -- continued

Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As₂Se₇ before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109.

Joullie, A.M.; Marucchi, J., Electrical properties of the amorphous alloy As₂Se₅, Mat. Res. Bull. 8 (1973) 433-442.

Kaplan, T.; Adler, D., Electrothermal switching in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 538-543.

Kawaguchi, T.; Maruno, S.; Elliott, S.R., Optical, electrical, and structural properties of amorphous Ag-Ge-S and Ag-Ge-Se films and comparison of photoinduced and thermally induced phenomena of both systems, J. Appl. Phys. 79 (1996) 9096-9104.

Kawaguchi, T.; Masui, K., Analysis of change in optical transmission spectra resulting from Ag photodoping in chalcogenide film, Japn. J. Appl. Phys. 26 (1987) 15-21.

Kawasaki, M.; Kawamura, J; Nakamura, Y.; Aniya, M., Ionic conductivity of Ag_x(GeSe₃)_{1-x}(0≤x≤0.571) glasses, Solid state Ionics 123 (1999) 259-269.

Kluge, G.; Thomas, A.; Klabes, R.; Grotzschel, R., Silver photodiffusion in amorphous Ge_xSe_{100-x}, J. Non-Cryst. Solids 124 (1990) 186-193.

Kolobov, A.V., On the origin of p-type conductivity in amorphous chalcogenides, J. Non-Cryst. Solids 198-200 (1996) 728-731.

Kolobov, A.V., Lateral diffusion of silver in vitreous chalcogenide films, J. Non-Cryst. Solids 137-138 (1991) 1027-1030.

Korkinova, Ts.N.; Andreichin, R.E., Chalcogenide glass polarization and the type of contacts, J. Non-Cryst. Solids 194 (1996) 256-259.

Kotkata, M.F.; Afif, M.A.; Labib, H.H.; Hegab, N.A.; Abdel-Aziz, M.M., Memory switching in amorphous GeSeTe chalcogenide semiconductor films, Thin Solid Films 240 (1994) 143-146.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,818 B2
APPLICATION NO. : 09/988984
DATED : November 9, 2004
INVENTOR(S) : John T. Moore et al.

Page 11 of 17

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Item (56) (References Cited) – continued

Lakshminarayan, K.N.; Srivastava, K.K.; Panwar, O.S.; Dumar, A., Amorphous semiconductor devices: memory and switching mechanism, J. Instn Electronics & Telecom. Engrs 27 (1981) 16-19.

Lal, M.; Goyal, N., Chemical bond approach to study the memory and threshold switching chalcogenide glasses, Indian Journal of pure & appl. phys. 29 (1991) 303-304.

Leimer, F.; Stotzel, H.; Kottwitz, A., Isothermal electrical polarisation of amorphous GeSe films with blocking Al contacts influenced by Poole-Frenkel conduction, Phys. Stat. Sol. (a) 29 (1975) K129-K132.

Leung, W.; Cheung, N.; Neureuther, A.R., Photoinduced diffusion of Ag in GexSe1-x glass, Appl. Phys. Lett. 46 (1985) 543-545.

Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on Se-SnO2 system, Jap. J. Appl. Phys. 11 (1972) 1657-1662.

Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on amorphous selenium thin films, Jpn. J. Appl. Phys. 11 (1972) 606.

Mazurier, F.; Levy, M.; Souquet, J.L, Reversible and irreversible electrical switching in TeO2-V2O5 based glasses, Journal de Physique IV 2 (1992) C2-185 - C2188

Messoussi, R.; Bernede, J.C.; Benhida, S.; Abachi, T.; Latef, A., Electrical characterization of M/Se structures (M=Ni,Bi), Mat. Chem. And Phys. 28 (1991) 253-258.

Mitkova, M.; Boolchand, P., Microscopic origin of the glass forming tendency in chalcogenides and constraint theory, J. Non-Cryst. Solids 240 (1998) 1-21.

Mitkova, M.; Kozicki, M.N., Silver incorporation in Ge-Se glasses used in programmable metallization cell devices, J. Non-Cryst. Solids 299-302 (2002) 1023-1027.

Mitkova, M.; Wang, Y.; Boolchand, P., Dual chemical role in Ag as an additive in chalcogenide glasses, Phys. Rev. Lett. 83 (1999) 3848-3851.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,818 B2
APPLICATION NO. : 09/988984
DATED : November 9, 2004
INVENTOR(S) : John T. Moore et al.

Page 12 of 17

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Item (56) (References Cited) -- continued

Miyatani, S.-y., Electronic and ionic conduction in $(\text{Ag}_x\text{Cu}_{1-x})_2\text{Se}$, J. Phys. Soc. Japan 34 (1973) 423-432.

Miyatani, S.-y., Electrical properties of Ag_2Se , J. Phys. Soc. Japan 13, (1958) 317.

Miyatani, S.-y., Ionic conduction in beta- Ag_2Te and beta- Ag_2Se , Journal Phys. Soc. Japan 14 (1959) 996-1002.

Mott, N.F., Conduction in glasses containing transition metal ions, J. Non-Cryst. Solids 1 (1968) 1-17.

Nakayama, K.; Kitagawa, T.; Ohmura, M.; Suzuki, M., Nonvolatile memory based on phase transitions in chalcogenide thin films, Jpn. J. Appl. Phys. 32 (1993) 564-569.

Nakayama, K.; Kojima, K.; Hayakawa, F.; Imai, Y.; Kitagawa, A.; Suzuki, M.; Submicron nonvolatile memory cell based on reversible phase transition in chalcogenide glasses, Jpn. J. Appl. Phys. 39 (2000) 6157-6161.

Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe_{1-x} amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.

Narayanan, R.A.; Asokan, S.; Kumar, A., Evidence concerning the effect of topology on electrical switching in chalcogenide network glasses, Phys. Rev. B 54 (1996) 4413-4415.

Neale, R.G., Aseltine, J.A., The application of amorphous materials to computer memories, IEEE transactions on electron dev. Ed-20 (1973) 195-209.

Ovshinsky S.R.; Fritzsche, H., Reversible structural transformations in amorphous semiconductors for memory and logic, Metallurgical transactions 2 (1971) 641-645.

Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys. Rev. Lett. 21 (1968) 1450-1453.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,818 B2
APPLICATION NO. : 09/988984
DATED : November 9, 2004
INVENTOR(S) : John T. Moore et al.

Page 13 of 17

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Item (56) (References Cited) – continued

Owen, A.E.; LeComber, P.G.; Sarraayrouse, G.; Spear, W.E., New amorphous-silicon electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54

Owen, A.E.; Firth, A.P.; Ewen, P.J.S., Photo-induced structural and physico-chemical changes in amorphous chalcogenide semiconductors, Phil. Mag. B 52 (1985) 347-362.

Owen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906.

Pearson, A.D.; Miller, C.E., Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282.

Pinto, R.; Ramanathan, K.V., Electric field induced memory switching in thin films of the chalcogenide system Ge-As-Se, Appl. Phys. Lett. 19 (1971) 221-223.

Popescu, C., The effect of local non-uniformities on thermal switching and high field behavior of structures with chalcogenide glasses, Solid-state electronics 18 (1975) 671-681.

Popescu, C.; Croitoru, N., The contribution of the lateral thermal instability to the switching phenomenon, J. Non-Cryst. Solids 8-10 (1972) 531-537.

Popov, A.I.; Geller, I.KH.; Shemetova, V.K., Memory and threshold switching effects in amorphous selenium, Phys. Stat. Sol. (a) 44 (1977) K71-K73.

Prakash, S; Asokan, S.; Ghare, D.B., Easily reversible memory switching in Ge-As-Te glasses, J. Phys. D: Appl. Phys. 29 (1996) 2004-2008.

Rahman, S.; Sivarama Sastry, G., Electronic switching in Ge-Bi-Se-Te glasses, Mat. Sci. and Eng. B12 (1992) 219-222.

Ramesh, K.; Asokan, S.; Sangunni, K.S.; Gopal, E.S.R., Electrical Switching in germanium telluride glasses doped with Cu and Ag, Appl. Phys. A 69 (1999) 421-425.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,818 B2
APPLICATION NO. : 09/988984
DATED : November 9, 2004
INVENTOR(S) : John T. Moore et al.

Page 14 of 17

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Item (56) (References Cited) -- continued

Rose, M.J.; Hajto, J.; Lecomber, P.G.; Gage, S.M.; Choi, W.K.; Snell, A.J.; Owen, A.E., Amorphous silicon analogue memory devices, J. Non-Cryst. Solids 115 (1989) 168-170.

Rose, M.J.; Snell, A.J.; Lecomber, P.G.; Hajto, J.; Fitzgerald, A.G.; Owen, A.E., Aspects of non-volatility in a -Si:H memory devices, Mat. Res. Soc. Symp. Proc. V 258, 1992, 1075-1080.

Schuocker, D.; Rieder, G., On the reliability of amorphous chalcogenide switching devices, J. Non-Cryst. Solids 29 (1978) 397-407.

Sharma, A.K.; Singh, B., Electrical conductivity measurements of evaporated selenium films in vacuum, Proc. Indian Natn. Sci. Acad. 46, A, (1980) 362-368.

Sharma, P., Structural, electrical and optical properties of silver selenide films, Ind. J. Of pure and applied phys. 35 (1997) 424-427.

Snell, A.J.; Lecomber, P.G.; Hajto, J.; Rose, M.J.; Owen, A.E.; Osborne, I.L., Analogue memory effects in metal/a-Si:H/metal memory devices, J. Non-Cryst. Solids 137-138 (1991) 1257-1262.

Snell, A.J.; Hajto, J.; Rose, M.J.; Osborne, L.S.; Holmes, A.; Owen, A.E.; Gibson, R.A.G., Analogue memory effects in metal/a-Si:H/metal thin film structures, Mat. Res. Soc. Symp. Proc. V 297, 1993, 1017-1021.

Steventon, A.G., Microfilaments in amorphous chalcogenide memory devices, J. Phys. D: Appl. Phys. 8 (1975) L120-L122

Steventon, A.G., The switching mechanisms in amorphous chalcogenide memory devices, J. Non-Cryst. Solids 21 (1976) 319-329.

Stocker, H.J., Bulk and thin film switching and memory effects in semiconducting chalcogenide glasses, App. Phys. Lett. 15 (1969) 55-57.

Tanaka, K., Ionic and mixed conductions in Ag photodoping process, Mod. Phys. Lett B 4 (1990) 1373-1377.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,818 B2
APPLICATION NO. : 09/988984
DATED : November 9, 2004
INVENTOR(S) : John T. Moore et al.

Page 15 of 17

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Item (56) (References Cited) -- continued

Tanaka, K.; Iizima, S.; Sugi, M.; Okada, Y.; Kikuchi, M., Thermal effects on switching phenomenon in chalcogenide amorphous semiconductors, Solid State Comm. 8 (1970) 387-389.

Thornburg, D.D., Memory switching in a Type I amorphous chalcogenide, J. Elect. Mat. 2 (1973) 3-15.

Thornburg, D.D., Memory switching in amorphous arsenic triselenide, J. Non-Cryst. Solids 11 (1972) 113-120.

Thornburg, D.D.; White, R.M., Electric field enhanced phase separation and memory switching in amorphous arsenic triselenide, Journal(?) (1972) 4609-4612.

Tichy, L.; Ticha, H., Remark on the glass-forming ability in $GexSe_{1-x}$ and $AsxSe_{1-x}$ systems, J. Non-Cryst. Solids 261 (2000) 277-281.

Titus, S.S.K.; Chatterjee, R.; Asokan, S., Electrical switching and short-range order in As-Te glasses, Phys. Rev. B 48 (1993) 14650-14652.

Tranchant, S.; Peytavin, S.; Ribes, M.; Flank, A.M.; Dexpert, H.; Largarde, J.P., Silver chalcogenide glasses Ag-Ge-Se: Ionic conduction and EXAFS structural investigation, Transport-structure relations in fast ion and mixed conductors, Proc. 6th RISO Int'l Symp. 9-13 September 1985.

Tregouet, Y.; Bernede, J.C., Silver movements in Ag_2Te thin films: switching and memory effects, Thin Solid Films 57 (1979) 49-54.

Uemera, O.; Kameda, Y.; Kokai, S.; Satow, T., Thermally induced crystallization of amorphous $Ge_{0.4}Se_{0.6}$, J. Non-Cryst. Solids 117-118 (1990) 219-221.

Uttecht, R.; Stevenson, H.; Sie, C.H.; Griener, J.D.; Raghavan, K.S., Electric field induced filament formation in As-Te-Ge glass, J. Non-Cryst. Solids 2 (1970) 358-370.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,818 B2
APPLICATION NO. : 09/988984
DATED : November 9, 2004
INVENTOR(S) : John T. Moore et al.

Page 16 of 17

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Item (56) (References Cited) – continued

Viger, C.; Lefrancois, G.; Fleury, G., Anomalous behavior of amorphous selenium films, J. Non-Cryst. Solids 33 (1976) 267-272.

Vodenicharov, C.; Parvanov, S.; Petkov, P., Electrode-limited currents in the thin-film M-GeSe-M system, Mat. Chem. And Phys. 21 (1989) 447-454.

Wang, S.-J.; Misium, G.R.; Camp, J.C.; Chen, K.-L.; Tigelaar, H.L., High-performance Metal/silicide antifuse, IEEE electron dev. Lett. 13 (1992) 471-472.

Weirauch, D.F., Threshold switching and thermal filaments in amorphous semiconductors, App. Phys. Lett. 16 (1970) 72-73.

West, W.C.; Sieradzki, K.; Kardynal, B.; Kozicki, M.N., Equivalent circuit modeling of the Ag|As_{0.24}S_{0.36}Ag_{0.40}|Ag System prepared by photodissolution of Ag, J. Electrochem. Soc. 145 (1998) 2971-2974

West, W.C., Electrically erasable non-volatile memory via electrochemical deposition of multifractal aggregates, Ph.D. Dissertation, ASU 1998

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,815,818 B2
APPLICATION NO. : 09/988984
DATED : November 9, 2004
INVENTOR(S) : John T. Moore et al.

Page 17 of 17

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Item (56) (References Cited) – continued

Zhang, M.; Mancini, S.; Bresser, W.; Boolchand, P., Variation of glass transition temperature, T_g , with average coordination number, $\langle m \rangle$, in network glasses: evidence of a threshold behavior in the slope $|dT_g/d\langle m \rangle|$ at the rigidity percolation threshold ($\langle m \rangle = 2.4$), J. Non-Cryst. Solids 151 (1992) 149-154.

Signed and Sealed this

Twenty-sixth Day of September, 2006

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a distinct "D" and "U" for "Dudas".

JON W. DUDAS
Director of the United States Patent and Trademark Office